



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

RIPLEY

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
016794

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1957/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	627FT
<u>DRILL DEPTH:</u>	350FT	22N	1W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				676,067.24	4,050,279.47
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	42					

REMARKS:

LOG ID:
026790

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	459FT
<u>DRILL DEPTH:</u>	115FT	22N	1E	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				686,495.32	4,042,622.40
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:
028810

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1973/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	305FT	22N	1W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	200FT				670,148.24	4,049,182.49
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 1/4 mile off 142, 17 miles west of Doniphan. No originals available.
Only residues logged. Assumption made that the carbonate portion is

LOG ID:
021781

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	502FT
<u>DRILL DEPTH:</u>	180FT	22N	2E	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				690,636.32	4,042,587.36
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	115					

REMARKS:

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025286

WELL TYPE
Private Well

DRILL DATE: 1965/12/02

TOWNSHIP RANGE SECTION

ELEVATION: 361FT

DRILL DEPTH: 150FT

22N

2E

9

DEPTH TO BED:

UTM X UTM Y
691,874.28 4,049,110.37
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 5 MI S OF DONIPHAN & 2 MI E ON S SIDE OF CURRENT RIVER

S.W.L. (AFTER CASING): 60

LOG ID:
024168

WELL TYPE
Oil Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 304FT

DRILL DEPTH: 1,090FT

22N

4E

1

DEPTH TO BED: 75FT

UTM X UTM Y
715,454.39 4,051,607.18
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
017347

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1958//

TOWNSHIP RANGE SECTION

ELEVATION: 302FT

DRILL DEPTH: 68FT

22N

4E

11

DEPTH TO BED:

UTM X UTM Y
714,450.40 4,050,153.17
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ALLUVIAL WELL

S.W.L. (AFTER CASING):

LOG ID:
021859

WELL TYPE
Community Public Well

DRILL DATE: 1963/09/28

TOWNSHIP RANGE SECTION

ELEVATION: 303FT

DRILL DEPTH: 75FT

22N

4E

11

DEPTH TO BED:

UTM X UTM Y
713,850.39 4,050,571.18
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 14



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028821

WELL TYPE
Community Public Well

DRILL DATE: 1998/06/ TOWNSHIP 22N RANGE 4E SECTION 11 ELEVATION: 305FT
DRILL DEPTH: 515FT UTM X 714,550.40 UTM Y 4,049,839.17
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: test well only - plugged and abandoned
S.W.L. (AFTER CASING):

LOG ID:
014848

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956/00/3 TOWNSHIP 22N RANGE 4E SECTION 3 ELEVATION: 300FT
DRILL DEPTH: 65FT UTM X 713,596.38 UTM Y 4,050,930.19
DEPTH TO BED: 63FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: observation well - ALLUVIAL WELL; @ MO. HIGHWAY BARN
S.W.L. (AFTER CASING): 8

LOG ID:
021533

WELL TYPE
Private Well

DRILL DATE: 1962/12/14 TOWNSHIP 22N RANGE 4E SECTION 3 ELEVATION: 305FT
DRILL DEPTH: 66FT UTM X 712,796.37 UTM Y 4,052,190.20
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W OF NAYLOR ON HWY 142
S.W.L. (AFTER CASING): 35

LOG ID:
016131

WELL TYPE
Oil Well

DRILL DATE: 1956/06/07 TOWNSHIP 22N RANGE 4E SECTION 33 ELEVATION: 297FT
DRILL DEPTH: 860FT UTM X 711,498.44 UTM Y 4,041,963.15
DEPTH TO BED: 710FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DO NOT USE FOR CORRELATION
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022401**WELL TYPE

Private Well

DRILL DATE: 1963/12/31TOWNSHIPRANGESECTIONELEVATION:

331FT

DRILL DEPTH: 65FT

22N

4E

7

DEPTH TO BED: 25FTUTM XUTM Y

707,856.36

4,049,112.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI SE OF OXLYS.W.L. (AFTER CASING): 40**LOG ID:****022416**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1964/03/27TOWNSHIPRANGESECTIONELEVATION:

650FT

DRILL DEPTH: 270FT

23N

1E

10

DEPTH TO BED: 15FTUTM XUTM Y

682,791.19

4,059,078.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: picnic ground - POSSIBLE 10' OF UPPER GASCONADE AT 260'; NO
PROD OR CONST. DATAS.W.L. (AFTER CASING):**LOG ID:****021577**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

869FT

DRILL DEPTH: 451FT

23N

1W

13

DEPTH TO BED: 140FTUTM XUTM Y

677,466.19

4,057,982.46

ZONE 15

S.W.L. (BEFORE CASING): 185 FTREMARKS:S.W.L. (AFTER CASING): 185 FT**LOG ID:****013407**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/03/10TOWNSHIPRANGESECTIONELEVATION:

732FT

DRILL DEPTH: 75FT

23N

1E

18

DEPTH TO BED: 50FTUTM XUTM Y

678,969.19

4,057,800.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF BRIAR P.O.S.W.L. (AFTER CASING): 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005515

WELL TYPE
Private Well

DRILL DATE: 1939/05/05

TOWNSHIP RANGE SECTION
23N 1W 27

ELEVATION: 843FT

DRILL DEPTH: 70FT

DEPTH TO BED: 60FT

UTM X UTM Y
673,467.21 4,054,523.48
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RANGE UNKNOWN

S.W.L. (AFTER CASING):

LOG ID:
028809

WELL TYPE
Private Well

DRILL DATE: 1977/01/

TOWNSHIP RANGE SECTION
23N 2E 11

ELEVATION: 469FT

DRILL DEPTH: 210FT

DEPTH TO BED: 60FT

UTM X UTM Y
694,250.24 4,058,739.37
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: well appears to be entirely in Roubidoux Formation

S.W.L. (AFTER CASING):

LOG ID:
013411

WELL TYPE
Private Well

DRILL DATE: 1954/10/11

TOWNSHIP RANGE SECTION
23N 2E 13

ELEVATION: 587FT

DRILL DEPTH: 185FT

DEPTH TO BED: 100FT

UTM X UTM Y
696,401.25 4,057,229.35
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL DEEPEMED 100-185'

S.W.L. (AFTER CASING): 102

LOG ID:
023830

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1965/10/

TOWNSHIP RANGE SECTION
23N 2E 13

ELEVATION: 578FT

DRILL DEPTH: 300FT

DEPTH TO BED: 95FT

UTM X UTM Y
696,801.25 4,057,849.35
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: MAINTAINANCE SHED, DONIPHAN

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013412**WELL TYPE

Private Well

DRILL DATE: 1955/02/07TOWNSHIPRANGESECTIONELEVATION:

355FT

DRILL DEPTH: 165FT

23N

2E

16

DEPTH TO BED: 70FTUTM XUTM Y

691,482.23

4,058,480.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON CURRENT RIVER 4 MI N OF DONIPHANS.W.L. (AFTER CASING): 14**LOG ID:****013841**WELL TYPE

Private Well

DRILL DATE: 1955/07/23TOWNSHIPRANGESECTIONELEVATION:

448FT

DRILL DEPTH: 255FT

23N

2E

20

DEPTH TO BED: 25FTUTM XUTM Y

690,417.24

4,056,614.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75**LOG ID:****017868**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/01/TOWNSHIPRANGESECTIONELEVATION:

471FT

DRILL DEPTH: 275FT

23N

2E

21

DEPTH TO BED: 35FTUTM XUTM Y

691,080.24

4,056,210.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: REOG. SCH DST #4; 3.5 MI W OF DONIPHAN ON HWY 160S.W.L. (AFTER CASING): 60**LOG ID:****002221**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1928/04/21TOWNSHIPRANGESECTIONELEVATION:

387FT

DRILL DEPTH: 75FT

23N

2E

22

DEPTH TO BED: 50FTUTM XUTM Y

693,243.25

4,056,101.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 9



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002222**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1928/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	387FT
<u>DRILL DEPTH:</u>	40FT	23N	2E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				693,243.25	4,056,101.37
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**002223**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1928/05/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	387FT
<u>DRILL DEPTH:</u>	74FT	23N	2E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				693,243.25	4,056,101.37
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	PRODUCTION AT RESIDUUM-BEDROCK CONTACT			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**027513**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1973/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	422FT
<u>DRILL DEPTH:</u>	1,170FT	23N	2E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				694,681.25	4,056,737.36
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	105 FT	<u>REMARKS:</u>	some discrepancy on legal description - Susan Mathis and Jack Baker			
<u>S.W.L. (AFTER CASING):</u>	174 FT	with SERO confirmed location of NE NW Sec. 23 T23N R2E on				

LOG ID:**002220**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1928/03/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	338FT
<u>DRILL DEPTH:</u>	119FT	23N	2E	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				693,204.26	4,054,470.37
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	MABREY ESTATE			
<u>S.W.L. (AFTER CASING):</u>	80					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009013**WELL TYPE

Community Public Well

DRILL DATE: 1945/10/TOWNSHIPRANGESECTIONELEVATION:

338FT

DRILL DEPTH: 40FT

23N

2E

27

DEPTH TO BED:UTM XUTM Y

693,204.26

4,054,470.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "PROBABLY STREAM GRAVEL"S.W.L. (AFTER CASING):**LOG ID:****021870**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

351FT

DRILL DEPTH: 61FT

23N

2E

27

DEPTH TO BED:UTM XUTM Y

693,104.26

4,054,363.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: TD IN ROUBIDOUX RESIDUUMS.W.L. (AFTER CASING): 23**LOG ID:****023610**WELL TYPE

Community Public Well

DRILL DATE: 1965/06/TOWNSHIPRANGESECTIONELEVATION:

425FT

DRILL DEPTH: 845FT

23N

2E

27

DEPTH TO BED: 30FTUTM XUTM Y

692,369.26

4,054,037.37

ZONE 15

S.W.L. (BEFORE CASING): 117 FTREMARKS: West Well #1 - W DONIPHANS.W.L. (AFTER CASING): 115 FT**LOG ID:****028801**WELL TYPE

Community Public Well

DRILL DATE: 1984/06/TOWNSHIPRANGESECTIONELEVATION:

394FT

DRILL DEPTH: 760FT

23N

2E

27

DEPTH TO BED:UTM XUTM Y

692,531.26

4,054,479.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: No info about TD; received cuttings to 760 ft, but TD had been recommended at 1000 ft to gain yield of approx 200 gpmS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009384**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1946/08/17TOWNSHIPRANGESECTIONELEVATION:

390FT

DRILL DEPTH: 301FT

23N

2E

34

DEPTH TO BED:UTM XUTM Y

693,206.27

4,052,874.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S OF DONIPHAN ON CURRENT RIVERS.W.L. (AFTER CASING): 46**LOG ID:****025799**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1968/10/01TOWNSHIPRANGESECTIONELEVATION:

350FT

DRILL DEPTH: 425FT

23N

2E

6

DEPTH TO BED: 40FTUTM XUTM Y

689,008.21

4,060,911.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: campground - U.S. DEPT. INTERIORS.W.L. (AFTER CASING): 32**LOG ID:****018614**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/09/TOWNSHIPRANGESECTIONELEVATION:

365FT

DRILL DEPTH: 170FT

23N

2E

8

DEPTH TO BED: 35FTUTM XUTM Y

690,046.21

4,060,093.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: picnic ground - YIELD - 10 GPM @ 48'S.W.L. (AFTER CASING): 24**LOG ID:****020839**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961//TOWNSHIPRANGESECTIONELEVATION:

359FT

DRILL DEPTH: 125FT

23N

2E

8

DEPTH TO BED: 40FTUTM XUTM Y

690,246.22

4,059,875.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATA - ALL UPPER
GASCONADES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004823

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 345FT
23N 2E 9
DRILL DEPTH: 65FT UTM X UTM Y
DEPTH TO BED: 55FT 692,429.23 4,059,010.38
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
013842

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 345FT
23N 2E 9
DRILL DEPTH: 70FT UTM X UTM Y
DEPTH TO BED: 692,429.23 4,059,010.38
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 SAMPLES, 45-48', 65-70', OF SD.
S.W.L. (AFTER CASING):

LOG ID:
022372

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 345FT
23N 2E 9
DRILL DEPTH: 96FT UTM X UTM Y
DEPTH TO BED: 40FT 692,429.23 4,059,010.38
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: POOR SAMPLES = DO NOT UEW
S.W.L. (AFTER CASING):

LOG ID:
028802

WELL TYPE
Private Well

DRILL DATE: 1977/07/ TOWNSHIP RANGE SECTION ELEVATION:
23N 2E 9
DRILL DEPTH: 250FT UTM X UTM Y
DEPTH TO BED: 110FT 691,688.22 4,059,649.39
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028812**WELL TYPE

Community Public Well

DRILL DATE: 1985/06/ TOWNSHIP 23N RANGE 3E SECTION 1 ELEVATION: 480FT
DRILL DEPTH: 1,190FT UTM X 706,366.27 UTM Y 4,060,373.30
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Letter in files confirms location. Highly unusual yield of 300 gpm at 555
S.W.L. (AFTER CASING): ft is

LOG ID:**028812**WELL TYPE

Community Public Well

DRILL DATE: 1985/06/ TOWNSHIP 23N RANGE 3E SECTION 1 ELEVATION: 480FT
DRILL DEPTH: 1,190FT UTM X 706,366.27 UTM Y 4,060,373.30
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Letter in files confirms location. Highly unusual yield of 300 gpm at 555
S.W.L. (AFTER CASING): ft is

LOG ID:**028805**WELL TYPE

Private Well

DRILL DATE: 1973/12/ TOWNSHIP 23N RANGE 3E SECTION 14 ELEVATION: 485FT
DRILL DEPTH: 140FT UTM X 704,575.28 UTM Y 4,057,536.30
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: this well does not reach bedrock. FeO2 stain throughout. It appears
S.W.L. (AFTER CASING): possible that samples 35 and 75 were switched.

LOG ID:**013859**WELL TYPE

Private Well

DRILL DATE: 1955/05/25 TOWNSHIP 23N RANGE 3E SECTION 16 ELEVATION: 471FT
DRILL DEPTH: 200FT UTM X 701,489.27 UTM Y 4,058,563.33
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012888**WELL TYPE

Private Well

DRILL DATE: 1954/05/28TOWNSHIPRANGESECTIONELEVATION:

558FT

DRILL DEPTH: 260FT

23N

3E

18

DEPTH TO BED: 130FTUTM XUTM Y

697,426.25

4,057,856.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

OLD WELL DEEPEMED 129-260'; 3 MI E OF DONIPHAN ON HWY 160.

S.W.L. (AFTER CASING): 132**LOG ID:****012889**WELL TYPE

Private Well

DRILL DATE: 1954/06/09TOWNSHIPRANGESECTIONELEVATION:

533FT

DRILL DEPTH: 200FT

23N

3E

18

DEPTH TO BED: 70FTUTM XUTM Y

697,426.26

4,057,654.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022402**WELL TYPE

Private Well

DRILL DATE: 1963/12/31TOWNSHIPRANGESECTIONELEVATION:

495FT

DRILL DEPTH: 85FT

23N

3E

20

DEPTH TO BED:UTM XUTM Y

700,274.27

4,055,448.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

ALL RESIDUUM; 3.5 MI E OF DONIPHAN

S.W.L. (AFTER CASING): 37**LOG ID:****021546**WELL TYPE

Private Well

DRILL DATE: 1962/12/07TOWNSHIPRANGESECTIONELEVATION:

382FT

DRILL DEPTH: 78FT

23N

3E

25

DEPTH TO BED:UTM XUTM Y

707,058.32

4,054,105.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

formerly in name of Earl Catlin - 1.25 MI N OF OXLY

S.W.L. (AFTER CASING): 45



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017258**WELL TYPE

Private Well

DRILL DATE: 1958/05/16TOWNSHIP RANGE SECTIONELEVATION: 490FTDRILL DEPTH: 125FT

23N 3E 29

DEPTH TO BED: 30FTUTM X UTM Y
699,686.28 4,054,449.32
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****021798**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 527FTDRILL DEPTH: 175FT

23N 3E 29

DEPTH TO BED: 25FTUTM X UTM Y
699,086.28 4,054,449.33
ZONE 15S.W.L. (BEFORE CASING):REMARKS: formerly in name of Marvin Bradshaw - 3 MI E OF DONIPHAN ON HWY
142S.W.L. (AFTER CASING):**LOG ID:****013413**WELL TYPE

Private Well

DRILL DATE: 1954/12/24TOWNSHIP RANGE SECTIONELEVATION: 475FTDRILL DEPTH: 100FT

23N 3E 30

DEPTH TO BED: 15FTUTM X UTM Y
697,658.27 4,054,830.34
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: HILLCREST FARMS.W.L. (AFTER CASING): 20**LOG ID:****023626**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 540FTDRILL DEPTH: 840FT

23N 3E 30

DEPTH TO BED: 70FTUTM X UTM Y
698,690.27 4,054,550.33
ZONE 15S.W.L. (BEFORE CASING): 115 FTREMARKS: E OF DONIPHANS.W.L. (AFTER CASING): 125 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027998**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

482FT

DRILL DEPTH:

1,000FT

23N

3E

30

DEPTH TO BED:

10FT

UTM XUTM Y

698,936.27

4,055,133.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:correction of location made in Logmain on 1/30/03 when Jim Vandike
discovered error in legal description - correction confirmed w/ ownerS.W.L. (AFTER CASING):**LOG ID:****022381**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

503FT

DRILL DEPTH:

205FT

23N

3E

32

DEPTH TO BED:

105FT

UTM XUTM Y

699,311.29

4,052,216.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

5 MI E OF DONIPHAN ON HWY 142

S.W.L. (AFTER CASING):

152

LOG ID:**028312**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH:

2,923FT

23N

3E

6

DEPTH TO BED:

60FT

UTM XUTM Y

697,596.24

4,060,704.36

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

LOGGED TO 1000'

S.W.L. (AFTER CASING):**LOG ID:****022656**WELL TYPE

Private Well

DRILL DATE:

1964/02/21

TOWNSHIPRANGESECTIONELEVATION:

476FT

DRILL DEPTH:

150FT

23N

3E

8

DEPTH TO BED:

20FT

UTM XUTM Y

700,034.26

4,058,684.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

5 MI E OF DONIPHAN ON HWY 60

S.W.L. (AFTER CASING):

35



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022536**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/01/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	420FT
<u>DRILL DEPTH:</u>	75FT	23N	4E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				713,892.31	4,059,036.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Lawrey - 1 MI S OF HWY 160, 1.5 MI SE OF			
<u>S.W.L. (AFTER CASING):</u>	50		FARDEALING ON HWY B			

LOG ID:**010800**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1949/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	374FT
<u>DRILL DEPTH:</u>	85FT	23N	4E	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				714,966.29	4,061,582.26
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	AT RIPLEY-BUTLER COUNTY LINE ON HWY 14			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**022400**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/12/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	365FT
<u>DRILL DEPTH:</u>	53FT	23N	4E	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				707,705.33	4,052,315.25
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Earl Gallin - 0.75 MI E OF OXLY ON HWY 142			
<u>S.W.L. (AFTER CASING):</u>	23					

LOG ID:**013408**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/03/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	349FT
<u>DRILL DEPTH:</u>	80FT	23N	4E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				712,963.37	4,052,370.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI NW OF NAYLOR			
<u>S.W.L. (AFTER CASING):</u>	35					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008268**WELL TYPE

Private Well

DRILL DATE: 1943/05/22TOWNSHIP RANGE SECTIONELEVATION: 500FTDRILL DEPTH: 110FT

23N 4E 4

DEPTH TO BED: 65FTUTM X UTM Y
710,397.29 4,060,409.28
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF FAIRDEALING ON HWY 14S.W.L. (AFTER CASING): 70**LOG ID:****013410**WELL TYPE

Private Well

DRILL DATE: 1955//TOWNSHIP RANGE SECTIONELEVATION: 487FTDRILL DEPTH: 110FT

23N 4E 7

DEPTH TO BED: 15FTUTM X UTM Y
708,207.28 4,060,212.29
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI W OF FAIRDEALINGS.W.L. (AFTER CASING): 20**LOG ID:****017447**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/09/TOWNSHIP RANGE SECTIONELEVATION: 736FTDRILL DEPTH: 375FT

24N 1W 28

DEPTH TO BED: 35FTUTM X UTM Y
671,539.15 4,064,838.48
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ALSO SEE LOG #17516S.W.L. (AFTER CASING): 70**LOG ID:****017516**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/09/TOWNSHIP RANGE SECTIONELEVATION: 736FTDRILL DEPTH: 375FT

24N 1W 28

DEPTH TO BED: 35FTUTM X UTM Y
671,339.15 4,064,838.48
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ALSO SEE LOG #17447 (0-200')S.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028126**WELL TYPE

Private Well

DRILL DATE: 1978/07/06TOWNSHIP RANGE SECTION

24N

1W

30

ELEVATION: 784FTDRILL DEPTH: 390FTDEPTH TO BED: 30FTUTM X UTM Y

668,708.16 4,064,247.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****021578**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1963//TOWNSHIP RANGE SECTION

24N

1W

34

ELEVATION: 580FTDRILL DEPTH: 180FTDEPTH TO BED:UTM X UTM Y

673,524.16 4,062,193.47

ZONE 15

S.W.L. (BEFORE CASING): 30 FTREMARKS: campground - ON BUFFALO CREEKS.W.L. (AFTER CASING): 30 FT**LOG ID:****013414**WELL TYPE

Private Well

DRILL DATE: 1954/11/25TOWNSHIP RANGE SECTION

24N

2E

12

ELEVATION: 520FTDRILL DEPTH: 76FTDEPTH TO BED: 40FTUTM X UTM Y

695,934.19 4,069,141.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: WELL #1 CAVED IN, ABANDONED; N SIDE OF CURRENT RIVER 12
MI N OF DONIPHS.W.L. (AFTER CASING): 44**LOG ID:****021487**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

24N

2E

13

ELEVATION: 625FTDRILL DEPTH: 100FTDEPTH TO BED:UTM X UTM Y

695,739.20 4,066,902.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: TD IN ROUBIDOUX RESIDUUM; 9 MI N OF DONIPHAN ON HWY 21S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022398**WELL TYPE

Private Well

DRILL DATE: 1963/12/31TOWNSHIPRANGESECTIONELEVATION:

635FT

DRILL DEPTH: 116FT

24N

2E

14

DEPTH TO BED: 30FTUTM XUTM Y

695,533.20

4,067,484.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 10 MI N OF DONIPHAN ON HWY 21S.W.L. (AFTER CASING): 107**LOG ID:****021826**WELL TYPE

Private Well

DRILL DATE: 1963/02/21TOWNSHIPRANGESECTIONELEVATION:

617FT

DRILL DEPTH: 110FT

24N

2E

23

DEPTH TO BED:UTM XUTM Y

695,142.20

4,066,487.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: TD IN GASCONADE RESIDUUMS.W.L. (AFTER CASING): 46**LOG ID:****021825**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

608FT

DRILL DEPTH: 94FT

24N

2E

24

DEPTH TO BED: 20FTUTM XUTM Y

696,562.21

4,065,708.38

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MAY ALL BE RESIDUUM; SEE 75-95'S.W.L. (AFTER CASING): 35**LOG ID:****028374**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1980/06/15TOWNSHIPRANGESECTIONELEVATION:

625FT

DRILL DEPTH: 1,200FT

24N

2E

27

DEPTH TO BED: 300FTUTM XUTM Y

692,657.20

4,064,366.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018805**WELL TYPE

Private Well

DRILL DATE: 1959/07/TOWNSHIPRANGESECTIONELEVATION:

552FT

DRILL DEPTH: 205FT

24N

3E

28

DEPTH TO BED: 155FTUTM XUTM Y

700,669.24

4,063,778.36

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 155-205'S.W.L. (AFTER CASING):**LOG ID:****021815**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

575FT

DRILL DEPTH: 102FT

24N

3E

31

DEPTH TO BED:UTM XUTM Y

697,421.23

4,062,091.36

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: TD IN RESIDUUMS.W.L. (AFTER CASING):**LOG ID:****013571**WELL TYPE

Oil Well

DRILL DATE: 1954/10/27TOWNSHIPRANGESECTIONELEVATION:

381FT

DRILL DEPTH: 340FT

24N

4E

20

DEPTH TO BED:UTM XUTM Y

708,756.24

4,065,666.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of George Hedges and/or Oklahoma Drilling Company
- #1 MILLER; 8 MI W OF JCT HWYS 67 & 160S.W.L. (AFTER CASING): 10**LOG ID:****021824**WELL TYPE

Private Well

DRILL DATE: 1963/04/10TOWNSHIPRANGESECTIONELEVATION:

485FT

DRILL DEPTH: 109FT

25N

1E

19

DEPTH TO BED: 40FTUTM XUTM Y

679,048.14

4,075,166.47

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BOILERHOUSE SAMPLES, DO NOT USLE FOR CORRELATON; 30
MI NW OF DONIPHANS.W.L. (AFTER CASING): 45



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028806**WELL TYPE

Private Well

DRILL DATE: 1976/01/TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 115FT

25N

2E

20

UTM XUTM YDEPTH TO BED: 90FT

689,948.18

4,075,439.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: well is entirely in residual Roubidoux and Roubidoux FormationS.W.L. (AFTER CASING):**LOG ID:****008009**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/10/10TOWNSHIPRANGESECTIONELEVATION:

627FT

DRILL DEPTH: 120FT

25N

4E

29

UTM XUTM YDEPTH TO BED:

709,988.22

4,074,305.38

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**RIPLEY**